Midmark Corporation 60 Vista Drive Versailles, OH 45380

Safety Data Sheet (SDS) OHSA HazCom Standard 29 CFR 1910.1200.

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

Product Name: Tartar & Stain Remover/Denture Cleaner

Product Number: DP5600

Contact:

MIDMARK CORPORATION

60 VISTA DRIVE

VERSAILLES, OH 45380

Tel: 800-643-6275

Fax: 937-526-8285 (Sterilizer Op Group)

EMERGENCY TELEPHONE NUMBERS

24 HOURS A DAY CHEMTREC 800-424-9300 INTERNATIONAL CHEMTREC 703-527-3887

8 AM TO 4:30 PM - CENTRAL TIME 262-255-9500

SECTION 2 – HAZARD(S) INDENTIFICATION

Classification of the substance or mixture



Corrosion

Causes severe skin burns and eye damage.



Causes serious eye irritation.

Harmful if swallowed.

Causes skin irritation.

Label elements

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms





GHS05

H319

Product Code: DP5600 | Issued: 06/25/2018 | Rev: 6 | Page 1 of 10

Signal word: Danger

Hazard statements

Causes severe skin burns and eye damage.

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

Wash thoroughly after handling.

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Continued of page 1)

Specific treatment (see on this label).

IF INHALED: Move victim to fresh air and keep at rest in a position comfortable for breathing.

Wash contaminated clothing before reuse.

If eye irritation persists: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Immediately call a POISON CENTER/doctor.

Avoid release to the environment.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0 - 4)



Health = 2 Fire = 0 Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 0 Reactivity = 0

SECTION 3 - COMPOSITION /INFORMATION ON INGREDIENTS

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous Components:

S-US classification
fication: None
None
. 2, H319
n, H314
nage, H314
Chronic 3, H401
t. 2, H315; Eye Irrit. 2A,
t. 2, H315
. 2, H319

Product Code: DP5600 Issued: 06/25/2018 Rev: 6 Page 2 of 10

SECTION 4 - FIRST AID INFORMATION

Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore, medical observation for at least 48 hours after the accident.

After inhalation:

If having difficulty breathing, contact emergency personnel immediately

Supply fresh air and to be sure call for a doctor.

After skin contact:

Remove contaminated clothing. Wash clothing before reuse.

Immediately wash with water and soap and rinse thoroughly.

If irritation occurs consult a doctor.

After eye contact:

Hold eyelids apart and flush eyes with plenty of water for at least 20 minutes.

Seek medical treatment.

After swallowing:

Give large amounts of water.

Do not induce vomiting and call for medical help.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

No further relevant information available.

Information for doctor:

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5 - FIRE-FIGHTING INFORMATION

Extinguishing media

Suitable extinguishing agents:

Use firefighting measures that suit the environment.

Special hazards arising from the substance or mixture

No further relevant information available.

Advice for firefighters

Protective equipment:

Full protective clothing and self-contained breathing apparatus should be worn.

SECTION 6 - ACCIDENTAL RELEASE INFORMATION

Personal precautions, protective equipment and emergency procedures:

Refer to section 8

Environmental precautions:

Do not allow to enter sewers/surface or ground water.

Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Product Code: DP5600 | Issued: 06/25/2018 | Rev: 6 | Page 3 of 10

SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling:

Avoid contact with skin, eyes and clothing.

Information about protection against explosions and fires:

No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Keep container tightly closed.

Store in a well-ventilated place.

Store in a cool, dry place.

Do not store in aluminum, carbon steel, copper, copper alloys, fiberglass, brass, zinc, nickel or galvanized containers.

Information about storage in one common storage facility:

Not required.

Further information about storage conditions:

Use PET, HDPE and/or related plastics for suitable packaging.

Specific end use(s)

No further relevant information available.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Additional information about design of technical systems:

No further data; see section 7.

Control parameters

Components with occupational exposure limits:

Federal guidelines suggest to treat the ingredient in this product as a nuisance dust, as no product specific guidelines have been issued for exposure.

Particulates Not Otherwise Regulated: OSHA (PEL/TWA): 10 mg/m3 (total dust); 5 mg/mg3 (resp fraction)

Additional information:

The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from tobacco products.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment: Not required.

Protection of hands:



Protective Gloves



Protective goggles

The glove material should be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/the chemical mixture.

Product Code: DP5600 Issued: 06/25/2018 Rev: 6 Page 4 of 10

Select glove material based on penetration times, rates of diffusion and degradation.

Material of gloves

The selection of the suitable gloves depends on the material, and marks of quality, and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break-through time must be determined and observed by the manufacturer of the protective gloves.

Eye protection:

Have a safety shower and eyewash fountain readily available in the immediate work area.

Tightly sealed goggles

Body protection: Protective work clothing

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

General Information

Appearance:

Form: Liquid

Odor: No significant odor Odor threshold: Not determined

Color: Yellow

pH-value @ 20° C (68° F): 2.00 ± 0.5

Change in condition: Flash point: Not applicable

Melting point/Melting range: Not determined. Flammability (solid, gaseous): Not determined

Boiling point/Boiling range: 100° C (212° F)

Ignition temperature: Auto igniting: Product is not self igniting.

Decomposition temperature: Not determined.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined Upper: Not determined

 Vapor pressure:
 Not applicable
 Relative density
 Not determined

 Density:
 Not determined
 Vapor density
 Not determined

Evaporation rate Not determined

Solubility in / Miscibility with Water: >10%

Partition coefficient (n-octanol/water): Not determined

Viscosity:

Dynamic: Not applicable Kinematic: Not applicable

Specific Gravity (H2) =1: 1.10 ± 0.1

Other information No further relevant information available.

Product Code: DP5600 | Issued: 06/25/2018 | Rev: 6 | Page 5 of 10

SECTION 10 - STABILITY AND REACTIVITY

Reactivity No further relevant information available. **Chemical stability** Product is stable under normal conditions.

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Conditions to avoid:

Avoid heat, moisture and other incompatible materials as stated.

Incompatible materials:

Metal nitrates (potentially explosive reaction), alkali carbonates and bicarbonates, potassium tartrate, strong oxidizers, nitric acid and chlorine. Will corrode copper, zinc, aluminum and their alloys. Solutions of this material are strong acids and react violently with bases.

Hazardous decomposition products:

Carbon dioxide and carbon monoxide may form when heated to decomposition.

Sulfamic acid may emit ammonia, oxides of sulfur, oxides of nitrogen and oxides of carbon.

SECTION 11 – TOXICOLOGICAL INFORMATION				
Information on toxicological effects				
Acute toxicity				
LD/LC50 values that are relevant for classification				
Citric acid (CAS: 77-92-9)				
LD50 oral rate	5040 mg/kg (mouse)			
Sulfamic acid (CAS: 5329-14-6)				
LD50 oral rate	3160 mg/kg (rat)			
Surfactants				
LD50 oral rate	1080-1980 mg/kg (rat)			
Sodium Benzoate (CAS: 532-32-1)				
LD50 oral rate	>2000 mg/kg (rat)			

Primary irritant effect:

On the skin: Strong caustic effect on skin and mucous membranes.

On the eye: Corrosive effect.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Danger

Corrosive

Swallowing will lead to a corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic categories

IARC (International Agency for Research on Cancer)
 NTP (National Toxicology Program)
 None of the ingredients is listed.
 None of the ingredients is listed.
 None of the ingredients is listed.

Product Code: DP5600 | Issued: 06/25/2018 | Rev: 6 | Page 6 of 10

SECTION 12 - ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity: Toxic to aquatic life.

Persistence and degradability

Bioaccumulative potential

Mobility in soil

No further relevant information available.

No further relevant information available.

No further relevant information available.

Additional ecological information:

General notes:

Water hazard class 1 (Self-assessment): Hazardous for water.

Must not reach bodies of water or drainage ditch undiluted or un-neutralized.

Results of PBT and vPvB assessment

PBT: Not applicable vPvB: Not applicable

Other adverse effects No further relevant information available.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste disposal methods

Waste disposal recommendation Observe all federal, state and local environmental regulations when disposing

of this material.

Must not be disposed of together with household garbage. Do not allow

product to reach sewage system.

Un-cleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

SECTION 14 - TRANSPORT INFORMATION

UN-Number

DOT UN3260
ADR, IMDG, IATA UN2967

UN proper shipping name

DOT Corrosive solid, acidic, inorganic, n.o.s. (sulfamic acid)

ADR UN2967 sulfamic acid, mixture IMDG, IATA SULPHAMIC ACID, mixture

Transport hazard class(es)

DOT

E

Class 8 Corrosive substance

Label 8

IMDG, IATA



Class 8 (C2) Corrosive substance

Label

Product Code: DP5600 Issued: 06/25/2018 Rev: 6 Page 7 of 10

(Continued of page 7)



Class 8 Corrosive substance

Label 8

Packing group

DOT, ADR, IMDG, IATA Non-Regulated Material

Environmental hazards:

Marine pollutant: No

Special precautions for user Warning: Corrosive substances

Danger code (Kemler):80EMS Number:F-A, S-BSegregation groups:Acids

Transport in bulk according to Annex II of MARPOL 73/78 Not applicable

and the IBC Code:

Transport/Additional information:

DOT

Quantity limitations On passenger aircraft/rail: 25 kg

On cargo aircraft only: 100 kg

ADR

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

IMDG

Limited quantities (LQ) 5 kg
Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

UN "Model Regulation": UN2967, Sulfamic acid, mixture, 8, III

SECTION 15 - REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 311/312 (Hazard Classes):

Acute health hazard

TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

Chemicals known to cause reproductive toxicity for females:
Chemicals known to cause reproductive toxicity for males:
Chemicals known to cause developmental toxicity:

None of the ingredients is listed.
None of the ingredients is listed.
None of the ingredients is listed.

Carcinogenic categories

(Continued of page 8)

EPA (Environmental Protection Agency)

TLV (Threshold Limit Value established by ACGIH)

NIOSH-Ca (National Institute for Occupational Safety and

Health)

GHS label elements

None of the ingredients is listed. None of the ingredients is listed. None of the ingredients is listed.

The product is classified and labeled according to the Global Harmonized System (GHS).

Hazard pictograms





GHS05

H31

Signal word: Danger Hazard statements

Causes serious skin burn and eye damage.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash thoroughly after handling.

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

IF INHALED: Move victim to fresh air and keep at rest in a position comfortable for breathing.

Wash contaminated clothing before reuse.

If eye irritation persists: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Immediately call a POISON CENTER/doctor.

National Regulations

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

State Right to Know

CAS No.	Description	% Range	GHS-US classification
CAS: 7732-18-5	Water	60-90%	Hazard Classification: None
			Risk Phrases: None
CAS: 77-92-9	Citric acid	10-30%	① Eye Irrit. 2, H319
CAS: 5329-14-6	Sulfamic acid	1-5%	Skin burn, H314 Eye damage, H314 Aquatic Chronic 3, H401
CAS: NA	Surfactants	<1%	Skin Irrit. 2, H315; Eye Irrit. 2A, H319
CAS: 532-32-1	Sodium Benzoate	<1%	 Skin Irrit. 2, H315 Eye Irrit. 2, H319
			V -/

All ingredients are listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16 - OTHER INFORMATION

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of

Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Skin dam: Skin corrosion/irritation

Eye dam: Serious eye damage/eye irritation

Aquatic Chronic 3: Harmful to aquatic life with long lasting effects

Revision Summary Replaces Rev 5 issued on 08-September-2014. Complies with GHS OSHA requirements.

This information is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data, or the results to be obtained from use thereof. In no event will the manufacturer or distributor be responsible for damages of any nature whatsoever resulting from the use of, or reliance upon this information. General properties described herein are to be regarded as guides and are not guaranteed for all samples.

Product Code: DP5600 Issued: 06/25/2018 Rev: 6 Page 10 of 10