

Page 1/10

Safety Data Sheet acc. to OSHA HCS

Printing date 01/03/2020 Version number 12 Reviewed on 01/03/2020

1 Identification

- · Product identifier
- · Trade name: Spraynet
- · Article number: 1600036
- · Application of the substance / the mixture

Auxiliary for dental technology Cleaning agent/ Cleaner

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bien-Air Dental S.A.

Länggasse 60

CH-2504 Biel/Bienne

Switzerland

Tel.: int. +41 (0)32 344 64 64

office@bienair.com

- · Information department: Product safety department
- · Emergency telephone number:

Swiss Toxicological information center

E-Mail: info@toxi.ch

24-h-Emergency number: From CH: 145

From abroad: +41 44 251 51 51

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Aerosol 1 H222 Extremely flammable aerosol.



GHS04 Gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated.



GHS08 Health hazard

Carc. 1A H350 May cause cancer.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







GHS02

GHS04

GHS08

(Contd. on page 2)

Printing date 01/03/2020 Version number 12 Reviewed on 01/03/2020

Trade name: Spraynet

· Signal word Danger

(Contd. of page 1)

- · Hazard-determining components of labeling:

ethanol

· Hazard statements

Extremely flammable aerosol.

Contains gas under pressure; may explode if heated.

May cause cancer.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use.

Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 4

Reactivity = 3

· HMIS-ratings (scale 0 - 4)



Health = *0

Fire = 4

Reactivity = 3

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
64-17-5	ethanol	50-70%
75-28-5	isobutane	10-20%
74-98-6	propane	10-20%
67-63-0	propan-2-ol	1-10%

4 First-aid measures

- · Description of first aid measures
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 01/03/2020 Version number 12 Reviewed on 01/03/2020

Trade name: Spraynet

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

<i>PAC-1:</i>		
64-17-5	ethanol	1,800 ppm
75-28-5	isobutane	5500* ppr
74-98-6	propane	5500* ppi
67-63-0	propan-2-ol	400 ppm
78-93-3	butanone	200 ppm
5989-27-5 (R)-p-mentha-1,8-diene		15 ppm
<i>PAC-2:</i>		·
64-17-5	ethanol	3300* ppm
75-28-5	isobutane	17000** ppi
74-98-6	propane	17000** ppi
67-63-0	propan-2-ol	2000* ppm
78-93-3	butanone	2700* ppm
5989-27-5	(R)-p-mentha-1,8-diene	67 ppm
<i>PAC-3:</i>		
64-17-5	ethanol	15000* ppm
75-28-5	isobutane	53000*** ppi
74-98-6	propane	33000*** ppi
67-63-0	propan-2-ol	12000** ppm
78-93-3	butanone	4000* ppm
5989-27-5	(R)-p-mentha-1,8-diene	170 ppm

(Contd. on page 4)

Printing date 01/03/2020 Version number 12 Reviewed on 01/03/2020

Trade name: Spraynet

(Contd. of page 3)

7 Handling and storage

- · Handling:
- · **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- · Storage.
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

· Storage class: 2 B

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

	rol parameters ponents with limit values that require monitoring at the workplace:
	7-5 ethanol
· · ·	Long-term value: 1900 mg/m³, 1000 ppm
	Long-term value: 1900 mg/m³, 1000 ppm
	Short-term value: 1880 mg/m³, 1000 ppm
	8-5 isobutane
TLV	Short-term value: 2370 mg/m³, 1000 ppm (EX)
74-9	8-6 propane
PEL	Long-term value: 1800 mg/m³, 1000 ppm
REL	Long-term value: 1800 mg/m³, 1000 ppm
TLV	refer to Appendix F inTLVs&BEIs book; D, EX
67-6	3-0 propan-2-ol
PEL	Long-term value: 980 mg/m³, 400 ppm
REL	Short-term value: 1225 mg/m^3 , 500 ppm Long-term value: 980 mg/m^3 , 400 ppm
TLV	Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI
· Ingr	edients with biological limit values:
67-6	3-0 propan-2-ol
BEI	40 mg/L

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

Printing date 01/03/2020 Version number 12 Reviewed on 01/03/2020

Trade name: Spraynet

(Contd. of page 4)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Not necessary if room is well-ventilated.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Recommended thickness of the material: ≥ 0.7 mm

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

Value for the permeation: Level ≤ 6

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Change in condition

· Appearance:

Form: Aerosol
Color: Colorless

Odor: Characteristic
Odor threshold: Not determined.

· pH-value:

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: Not applicable, as aerosol.

Not determined.

• Flash point: $-60 \,^{\circ}C \,(-140 \,^{\circ}F)$

· Flammability (solid, gaseous): Not applicable.

(Contd. on page 6)

Printing date 01/03/2020 Version number 12 Reviewed on 01/03/2020

Trade name: Spraynet

	(Contd. of page
Ignition temperature:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	1.7 Vol %
Upper:	15 Vol %
Vapor pressure at 20 °C (68 °F):	5,300 hPa (400 mm Hg)
Density at 20 °C (68 °F):	$0.69 \ g/cm^3 (5.76 \ lbs/gal)$
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	e r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	99.4 %
VOC content:	99.36 %
	685.6 g/l / 5.72 lb/gal
Other information	No further relevant information available.

10 Stability and reactivity

- $\cdot \textit{Reactivity} \ \textit{No further relevant information available}.$
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:			
64-17-5 ethanol			
Oral	LD50	7,060 mg/kg (rat)	
Inhalative	LC50/4 h	20,000 mg/l (rat)	

- · Primary irritant effect:
- \cdot on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 7)

Printing date 01/03/2020 Version number 12 Reviewed on 01/03/2020

Trade name: Spraynet

(Contd. of page 6)

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

· Carcinogenic categories

· IARC (Inte	ernational Agency for Research on Cancer)	
64-17-5	ethanol	1
	propan-2-ol	3
	Pulegone	2B
5989-27-5	(R)-p-mentha-1,8-diene	3
· NTP (Natio	onal Toxicology Program)	
None of the	e ingredients is listed.	
· OSHA-Ca	(Occupational Safety & Health Administration)	
None of the ingredients is listed.		

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

Transport information		
· UN-Number		
· DOT, ADR, IMDG, IATA	UN1950	
· UN proper shipping name		
$\cdot DOT$	Aerosols, flammable	
$\cdot ADR$	1950 AEROSOLS	
· IMDG	AEROSOLS	
\cdot IATA	AEROSOLS, flammable	

(Contd. on page 8)

Printing date 01/03/2020 Version number 12 Reviewed on 01/03/2020

Trade name: Spraynet

(Contd. of page 8) · Transport hazard class(es) $\cdot DOT$ · Class 2.1 · Label 2.1 $\cdot ADR$ 2 5F Gases · Class · Label 2.1 · IMDG, IATA · Class 2.1 · Label 2.1 · Packing group · DOT, ADR, IMDG, IATA Void · Environmental hazards: Not applicable. · Special precautions for user Warning: Gases · Hazard identification number (Kemler code): · EMS Number: F-D,S-U· Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. · Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: On passenger aircraft/rail: 75 kg · Quantity limitations On cargo aircraft only: 150 kg $\cdot ADR$ · Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity (Contd. on page 9)

Printing date 01/03/2020 Version number 12 Reviewed on 01/03/2020

Trade name: Spraynet

(Contd. of page 9) · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity · UN "Model Regulation": UN 1950 AEROSOLS, 2.1

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara		
· Section 355 (extremely hazardous substances):		
None of the ingredients is listed.		
· Section 31.	3 (Specific toxic chemical listings):	
67-63-0 propan-2-ol		
· TSCA (Tox	cic Substances Control Act):	
64-17-5	ethanol	ACTIVE
75-28-5	isobutane	ACTIVE
74-98-6	propane	ACTIVE
67-63-0	propan-2-ol	ACTIVE
78-93-3	butanone	ACTIVE
124-38-9	carbon dioxide	ACTIVE
89-78-1	menthol	ACTIVE
89-82-7	Pulegone	ACTIVE
4180-23-8	trans-Anethole	ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

5989-27-5 (R)-p-mentha-1,8-diene

· Proposition 65

· Chemicals known to cause cancer:

89-82-7 Pulegone

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 ethanol

· Carcinogenic categories

· EPA	(Environmental Protection Agency)
--------------	-----------------------------------

78-93-3 butanone · TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol A367-63-0 propan-2-ol *A4*

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 10)

ACTIVE

Printing date 01/03/2020 Version number 12 Reviewed on 01/03/2020

Trade name: Spraynet

(Contd. of page 9)

· Hazard pictograms







GHS02

GHS04

· Signal word Danger

· Hazard-determining components of labeling:

ethanol

· Hazard statements

Extremely flammable aerosol.

Contains gas under pressure; may explode if heated.

May cause cancer.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use.

Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Date of preparation / last revision 01/03/2020 / 11

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Aerosol 1: Aerosols - Category 1

Press. Gas: Gases under pressure - Compressed gas

Carc. 1A: Carcinogenicity - Category 1A

* * Data compared to the previous version altered.